

Exhibit C-34

Controlled Storage Inventory List 1

Controlled Storage Inventory

Project:	NRC Operations for FSV
Department Manager:	Greg Hall
Org #:	5290
Phone:	208.533.0380
Charge #:	
	All items are at FSV unless noted
	last inventory performed on 8/8/13
Total items	409

Item #	Brief Description	Lot #	Part #	Quality Level/ Safety Category	Drawing #	Item #	Shelf Life	Date Placed in Storage	Quantity	Notes (Req. #/P.O. #/Quality #)
1	Lever operated limit switch (in plastic bin)	10089	2930893	D	362P0292	31		1/31/2001	2	
2	Blanking plug (in wood box)	10089	1784946	A+	362A0329	1		1/31/2001	6 (not verified)	QA # T9819-6 level 1
3	Special blanking plug (in wood box)	10089	1784941	A+	362L0069	601		1/31/2001	52 (not verified)	QA # T9819-1 level 1
4	Sprocket pin (in wood box)	10089		A+	362A0265	5		1/31/2001	2	QA # T9819-12 level 1
5	Chain connector (in wood box)	10089	1784955	A+	362A0314	4		1/31/2001	1	QA # T9819-11 level 1
6	Socket head cap screw, 1/2"-13UNC x 5 1/4" (in wood box)	10089	1784953	A+	362P0066	10		1/31/2001	113 (not verified)	QA # T9819-9 level 1
7	FSC check valve (in wood box)	10089	1784942	A+	362F0193			1/31/2001	26	QA # T9819-2 level 1
8	Position switch (in box III inside plastic pallet bin)	10089	2930888	D	362P0252	34		1/31/2001	4	
9	Torque limiter switch (in box III inside plastic pallet bin)	10089	2930889	D	362P0252	35		1/31/2001	2	
10	Power Supply, 5-30 volt, 20 amp, 120 VAC input (inside plastic pallet bin)	10089	2930854					1/31/2001	1	
11	Shoulder pin (in plastic pallet bin)	10089	2930854	A+	362A0310	3		1/31/2001	12 (not verified)	
12	Drive bolt (in box V inside plastic pallet bin)	10089	2926716	B	362A0125	1		1/31/2001	2	
13	Stricker rod (in plastic pallet bin)	10089	2926717	B	362A0125	2		1/31/2001	1	
14	Drive pin (in box V inside plastic pallet bin)	10089	2926718	B	362A0125	3		1/31/2001	2	
15	Lock bolt extension (in box V inside plastic pallet bin)	10089	2926719	B	362A0125	4		1/31/2001	2	
16	Special key (in box V inside plastic pallet bin)	10089	2926714	B	362A0298	3		1/31/2001	4	
17	Drive bolt (in box V inside plastic pallet bin)	10089	2926715		362A0298			1/31/2001	2	
18	Spacer (in box V inside plastic pallet bin)	10089	2926710	C	362A0137	2		1/31/2001	2	
19	Lock bolt, ASTM A320 (in box V inside plastic pallet bin)	10089	2926711	B	362A0125	7		1/31/2001	2	
20	Tension bolt, ASTM A325 (in box V inside plastic pallet bin)	10089	2926712	B	362A0128	4		1/31/2001	4	
21	Location dowel (in box IV inside plastic pallet bin)	10089	2926707	A+	362A0064	6		1/31/2001	2	
22	Withdraw bolt, ASTM A307 (inside box IV inside plastic pallet bin)	10089	2926706	B	362A0074	4		1/31/2001	1	
23	Access plug, ASTM A-36 (inside box IV inside plastic pallet bin)	10089	2926705	B	362A0064	4		1/31/2001	6	
24	Isolator (in plastic pallet bin)	10089	2930851	D	363P0004	25		1/31/2001	1	

Item #	Brief Description	Lot #	Part #	Quality Level/ Safety Category	Drawing #	Item #	Shelf Life	Date Placed in Storage	Quantity	Notes (Req. #/P.O. #/Quality #)
25	Trunnion sprocket (in plastic pallet bin)	10089	2930816	B	362A0266	2		1/31/2001	1	
26	Fuseholder (in box III inside plastic pallet bin)	10089	2930845	D	363P0004	19		1/31/2001	2	
27	Copper link (in box III inside plastic pallet bin)	10089	2930850	D	363P0004	24		1/31/2001	1	
28	Fuseholder (in box III inside plastic pallet bin)	10089	2930849	D	363P0004	23		1/31/2001	1	
29	Glove toggle clamp ring (in box V inside plastic pallet bin)	10089	2930805	D	362P0140	14		1/31/2001	2	
30	Toggle clamp ring (in plastic pallet bin)	10089	2930806	D	362P0140	15		1/31/2001	1	
31	Top sprocket (in box IV inside plastic pallet bin)	10089	2930817	B	362A0266	1		1/31/2001	1	
32	Pressure switch (in box IV inside plastic pallet bin)	10089	2832640					1/31/2001	1	
33	Contactor comprising of 2 OFF MAX03 (in box IV inside plastic pallet bin)	10089	2930833	D	363P0004	4		1/31/2001	1	
34	Fuse, 2 amp (in box IV inside plastic pallet bin)	10089	2930838	D	363P0004	10		1/31/2001	2	
35	Contactor comprising of MAX03 Type 01-0410-60-127 (in box IV inside plastic pallet bin)	10089	2930834	D	363P0004	5		1/31/2001	1	
36	Contactor (in box IV inside plastic pallet bin)	10089	2930832	D	363P0004	3		1/31/2001	1	
37	Relay, 2NO, 2NC, 120 VAC, 60 Hz (in box IV inside plastic pallet bin)	10089	2930835	D	363P0004	6		1/31/2001	2	
38	Relay, 3NO, 1NC, 120 VAC, 60 Hz (in box IV inside plastic pallet bin)	10089	2930836	D	363P0004	7		1/31/2001	2	
39	Relay, 3NO, 1NC, 120 VAC, 60 Hz (in box IV inside plastic pallet bin)	10089	2930837	D	363P0004	9		1/31/2001	2	
40	Relay, 1NO, 3NC, 120 VAC, 60 Hz (in box IV inside plastic pallet bin)	10089	2930839	D	363P0004	11		1/31/2001	2	
41	Relay, phase balance (in box IV inside plastic pallet bin)	10089	2930840	D	363P0004	14		1/31/2001	1	
42	Relay, overvoltage (in box IV inside plastic pallet bin)	10089	2930841	D	363P0004	15		1/31/2001	1	
43	Relay, overload, Type UOL 1/3 with heater (in box IV inside plastic pallet bin)	10089	2930842	D	363P0004	16		1/31/2001	1	
44	Switch (in box III inside plastic pallet bin)	10089	2930892	D	362P0253	41		1/31/2001	4	
45	Limit Switch (in box III inside plastic pallet bin)	10089	2930932					1/31/2001	5	
46	Equalizing beam switch (in box III inside plastic pallet bin)	10089	2930933					1/31/2001	2	
47	Micro switch (in box III inside plastic pallet bin)	10089	2930935					1/31/2001	2	
48	Position switch lever for 362P0252 item 34 (in box III inside plastic pallet bin)	10089	2930934					1/31/2001	4	
49	Micro switch (in box III inside plastic pallet bin)	10089	2930937					1/31/2001	4	
50	V-ring seal (in box III inside plastic pallet bin)	10089	2930820	D	362P0252	22		1/31/2001	1	
51	Rotary shaft seal (in box III inside plastic pallet bin)	10089	2930821	D	362P0252	23		1/31/2001	1	
52	Rotary shaft seal (in box III inside plastic pallet bin)	10089	2930822	D	362P0252	24		1/31/2001	1	

Item #	Brief Description	Lot #	Part #	Quality Level/ Safety Category	Drawing #	Item #	Shelf Life	Date Placed in Storage	Quantity	Notes (Req. #/P.O. #/Quality #)
53	Flanged bearing (in box III inside plastic pallet bin)	10089	2930818	D	362L0249	1		1/31/2001	2	
54	Plain bearing (in box III inside plastic pallet bin)	10089	2930819	D	362L0249	2		1/31/2001	3	
55	Plain bearing 1 1/4" long (in box III inside plastic pallet bin)	10089	2930825	D	362P0292	15		1/31/2001	1	
56	Plain bearing 1" long (in box III inside plastic pallet bin)	10089	2930826	D	362P0292	16		1/31/2001	1	
57	Plain bearing 20mm ID x 25mm OD x 20mm (in box III inside plastic pallet bin)	10089	2930827	D	362P0292	26		1/31/2001	2	
58	Single ball bearing assembly (in box III inside plastic pallet bin)	10089	2930828	D	362P0292	32		1/31/2001	4	
59	Ball bearing assembly (in box III inside plastic pallet bin)	10089	2930829	D	362P0292	33		1/31/2001	4	
60	Spring, free lth 1.925", wire dia 0.087 (in box III inside plastic pallet bin)	10089	2930830	D	362P0292	35		1/31/2001	2	
61	Contacting comprising of MAX03 Type 01 (in box III inside plastic pallet bin)	10089	2930831	D	363A0004			1/31/2001	1	
62	Interlock, Access, QD access Interlock R (in box II inside plastic pallet bin)	10089	2930852	D	363P0004	25		1/31/2001	1	
63	Coupling (inside plastic pallet bin)	10089	2930815	D	362A0266	3		1/31/2001	1	
64	Power Supply, 12 volt, 22 amp, 120 VAC input (in box II inside plastic pallet bin)	10089	2930853	D	363P0004	27		1/31/2001	1	
65	Solenoid (inside plastic pallet bin)	10089	2930881	C	362A0110	8		1/31/2001	1	
66	Relay, 120 VAC, 60 Hz, fitted w/1 aux contact (in box II inside plastic pallet bin)	10089	2930862	D	363P0004	36		1/31/2001	2	
67	Diode, rectifier (in box II inside plastic pallet bin)	10089	2930863	D	363P0004	49		1/31/2001	1	
68	Indicator, lamp, yellow lens (in box II inside plastic pallet bin)	10089	2930864	D	363P0004	50		1/31/2001	2	
69	Indicator, lamp, white lens (in box II inside plastic pallet bin)	10089	2930865	D	363P0004	51		1/31/2001	3	
70	Resistor, 0.22 ohm (in box II inside plastic pallet bin)	10089	2930856	D	363P0004	31		1/31/2001	1	
71	Resistor, 1 ohm (in box II inside plastic pallet bin)	10089	2930857	D	363P0004	32		1/31/2001	1	
72	Diode, bridge rectifier 25 amp 100 volts (in box II inside plastic pallet bin)	10089	2930858	D	363P0004	33		1/31/2001	1	
73	Relay, 120 VAC 60 Hz, fitted w/1 aux contact (in box II inside plastic pallet bin)	10089	2930859	D	363P0004	34		1/31/2001	1	
74	Relay, 120 VAC 60 Hz, fitted w/1 aux contact (in box II inside plastic pallet bin)	10089	2930860	D	363P0004	35		1/31/2001	2	
75	Relay, 120 VAC 60 Hz, fitted w/1 aux contact (in box II inside plastic pallet bin)	10089	2930861	D	363P0004	36		1/31/2001	2	
76	Indicator, lamp amber lens (in box II inside plastic pallet bin)	10089	2930866	D	363P0004	52		1/31/2001	3	
77	Light source unit, 120 VAC (in box II inside plastic pallet bin)	10089	2930867	D	363P0004	53		1/31/2001	4	

Item #	Brief Description	Lot #	Part #	Quality Level/ Safety Category	Drawing #	Item #	Shelf Life	Date Placed in Storage	Quantity	Notes (Req. #/P.O. #/Quality #)
78	Switch, pushbutton, red fitted with 2 off (in box II inside plastic pallet bin)	10089	2930868	D	363P0004	55		1/31/2001	1	
79	Switch, pushbutton, black (in box II inside plastic pallet bin)	10089	2930869	D	363P0004	57		1/31/2001	2	
80	Switch, pushbutton, black (in box II inside plastic pallet bin)	10089	2930870	D	363P0004	58		1/31/2001	1	
81	Switch, key - key 3 (in box II inside plastic pallet bin)	10089	2930871	D	363P0004	59		1/31/2001	1	
82	Alarm, audible (in box II inside plastic pallet bin)	10089	2930872	D	363P0004	60		1/31/2001	1	
83	Switch, key (red) - key released (in box II inside plastic pallet bin)	10089	2930873	D	363P0004	61		1/31/2001	1	
84	Switch, key - key 2 (in box II inside plastic pallet bin)	10089	2930874	D	363P0004	62		1/31/2001	1	
85	Switch, limit (in box I inside plastic pallet bin)	10089	2930885	D	362P0131	20		1/31/2001	2	
86	Switch, position (in box I inside plastic pallet bin)	10089	2930887	D	362P0252	33		1/31/2001	2	
87	Switch, key - key 4 (in box II inside plastic pallet bin)	10089	2930875	D	363P0004	63		1/31/2001	1	
88	Meter, digital panel 4-digit, 120 volt (in box I inside plastic pallet bin)	10089	2930876	D	363P0004	64		1/31/2001	1	
89	Relay, timer type 7PU26 6-60 seconds (in box I inside plastic pallet bin)	10089	2930877	D	363P0004	66		1/31/2001	1	
90	Relay, timer type 7PU26 0.6-6 seconds (in box I inside plastic pallet bin)	10089	2930879	D	363P0004	67		1/31/2001	1	
91	Switch, micro (in box I inside plastic pallet bin)	10089	2930883		362P0100	59		1/31/2001	4	
92	Switch, limit (in box I inside plastic pallet bin)	10089	2930882		362P0100	58		1/31/2001	4	
93	Switch, limit (in box I inside plastic pallet bin)	10089	2930884	D	362P0130	64		1/31/2001	4	
94	Lead Screw (in tube)	10089	1784954	A+	362A0248	1		1/31/2001	1	QA # T9818-6 Level 1
95	Transformer, 480V-120V, 100VA (inside plastic pallet bin)	10089	2930855	D	363F0006			1/31/2001	1	
96	Torque limiter (in plastic pallet bin)	10089	2930812	D	362L0245	1		1/31/2001	1	
97	Hex Head bolt, 1 1/2"-6UNC x 3 3/4" long	10089	1784944	A+	362P0200	60		1/31/2001	14	QA # T9819-4 level 1
98	Valve location dowel	10089	1784943					1/31/2001	2	QA # T9819-3 level 1
99	Chain anchor	10089	1784952	A+	362A0314	5		1/31/2001	1	QA # T9819-8 level 1
100	Load transfer unit (in plastic pallet bin)	10089	2930800	D	362P0133	7		1/31/2001	3	
101	O-Ring, metal, "outer ring"	10089	1784939	A+	362F0060	21		1/31/2001	3	QA # T9800-3
102	O-ring, metal, "inner ring"	10089	1784940	A+	362F0060	22		1/31/2001	3	QA # T1820-4
103	O-Ring, metal, "outer ring"	10089	1784937	A+	362F0066	7		1/31/2001	40 (not verified)	QA # T9820-1
104	O-Ring, metal, "inner ring"	10089	1784938	A+	362F0066	8		1/31/2001	39 (not verified)	QA # T9820-2
105	Location peg, ASTM A36	10089	2926704	B	362A0124	501		1/31/2001	2	QA # T9818-8 L-3
106	Chain connecting pin	10089	1784951	A+	362F0215	2		1/31/2001	8	QA # T9815-5 L-1
107	Gearbox	10089	2930814	D	362L0247	1		1/31/2001	1	QA # T9818-10 L-3
108	Standby brake	10089	2930813	D	362A0246	1		1/31/2001	1	QA # T9818-10 L-3
109	Raise/lower mechanism drive motor	10089	2930886	B	362L0224	1		1/31/2001	1	QA # T9818-12
110	Spacer	10089	2926713	B	362A0298	2		1/31/2001	1	QA # T9818-9 L-3
111	Backup nut	10089	1784950	A+	362A0248	4		1/31/2001	1	QA # T9818-4 L-1

[illegible]

[illegible]